

computer-based system, processor-containing system, or other system that can fetch the instructions from the instruction execution system, apparatus, or device and execute the instructions.

**In the Claims:**

*Please substitute the following clean copy text for the pending claims of the same number.*

1. A method for printing information comprising:

storing information corresponding to a print task in memory in a print-ready format, the information in the print-ready format being configured for use by a printing device such that the information can be printed by the printing device without being processed by a driver of the printing device; and

enabling a selected portion of the print-ready information to be printed without printing a non-selected portion of the print-ready information.

2. The method of claim 1, further comprising:

providing a printing device; and

printing the selected portion of the print-ready information using the printing device.

4. The method of claim 1, further comprising:

receiving an input corresponding to a user's intent to print only a portion of the print-ready information; and

enabling only the selected portion of the print-ready information to be printed.

5. The method of claim 4, further comprising:  
receiving an input corresponding to a user's intent to print the entire print-ready information; and  
enabling the entire print-ready information to be printed.
6. The method of claim 4, further comprising:  
enabling the user to select at least the portion of the print-ready information to be printed.
7. The method of claim 6, wherein the printing device has a user interface; and  
wherein enabling the user to select at least the portion of the print-ready information comprises:  
enabling the user to select at least the portion of the print-ready information via the user interface.
9. The method of claim 6, further comprising:  
providing a driver, the driver being configured to receive information and configure the information in the print-ready format, the driver being further configured to provide a graphical user interface; and  
wherein enabling the user to select at least the portion of the print-ready information comprises:  
enabling the user to select at least the portion of the print-ready information via the graphical user interface.
10. A print system comprising:

a job retention system configured to receive an input corresponding to a selected portion of print-ready information and retrieve information corresponding to the selected portion of the print-ready information, the information being in a print-ready format configured for use by a printing device such that the information can be printed by the printing device without being processed by a driver of the printing device, the job retention system being further configured to enable the selected portion of the print-ready information to be printed without printing a non-selected portion of the print-ready information.

11. The print system of claim 10, further comprising:

a printing device having a memory, the information corresponding to the print-ready information being stored in the memory of the printing device; and  
wherein the job retention system resides in the printing device.

12. The print system of claim 10, wherein the printing device includes a user interface, the user interface being configured to enable a user to select at least the portion of the print-ready information.

14. The print system of claim 11, further comprising:

a workstation communicatively coupled to the printing device, the workstation having a driver, the driver being configured to configure information in the print-ready format and provide the print-ready format information to the printing device, the driver being further configured to provide a graphical user interface, the graphical user interface being configured to enable the user to select at least the portion of the print-ready information.

15. The print system of claim 10, further comprising:

a workstation having a driver configured to provide a graphical user interface, the graphical user interface being configured to enable a user to select at least the portion of the print-ready information.

Add the following new claims:

21. The method of claim 1, wherein the selected portion of the print-ready information defining a page of the print task.
22. The method of claim 1, wherein the selected portion of the print-ready information defining a range of pages of the print task.
23. The method of claim 1, wherein the storing information corresponding to a print task in memory in a print-ready format further comprises:  
storing a collection of information in print-ready format corresponding to a plurality of print tasks in the memory.

#### **REMARKS**

This is a full and timely response to the non-final Office Action of November 29, 2002. Reexamination, reconsideration, and allowance of the application and all presently pending claims are respectfully requested.